

Code: M1022W

INDOOR PANEL **M1022W** VIDOS

Net: **104.19 EUR** Gross: **104.19 EUR**

The M1022W is dedicated for cooperation with video doorphones and panels compatible with the VIDOS DUO digital system.



SPECIFICATION

Compatibility:	VIDOS DUO
Shield:	4.3 " TFT-LCD color matrix
Resolution:	480 x 272
Main features:	• Wiring - 2 wires without polarity, • Plug & Play, • Ultra-flat hands-free monitor, with speakerphone, • Backlit, touch control panel, • Microphone built-in, • Speakers built-in, • Bidirectional communication, • Possibility to extend the system with any 3 additional indoor panels or uniphones from the VIDOS DUO brand • "Do not disturb" mode - muting the device for the time set by the user, • Number of ring-tones : 12 • Support up to 4 door stations - M-SM4 module, • Preview image from the door station with the possibility of turning on the sound and opening the gate, • Control of the electric strike and automatic gate, • Addressable internal and external intercom, • Intercom and call forwarding function, • Redirecting a call to a user's phone via an additional GSM module, • Support up to 4 additional CCTV cameras - view from cameras possible via an additional M-K4 module, • Lighting control via an additional B5 module, • Relay output : 1 pcs or 2 pcs - B5 module • OSD menu
Power supply:	20 V DC ... 28 V DC
Power consumption:	• 0.17 W (Standby mode) • 4.7 W (operation)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Housing:	Plastic
Color:	White
Operation temp:	0 °C ... 40 °C
Supported languages:	Polish, English, French, Spanish, German, Russian, Italian
Weight:	0.27 kg
Dimensions:	138 x 138 x 21 mm
Manufacturer / Brand:	VIDOS
Guarantee:	2 years

PRESENTATION


Front panel:




Rear view:



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

