

Code: S1311D

VIDEO DOORPHONE **S1311D** VIDOS

Net: **178.90 EUR** Gross: **178.90 EUR**

Video Doorphone is mounted in a surface housing. The S1311D is dedicated for cooperation with video doorphones and panels compatible with the VIDOS DUO digital system.



SPECIFICATION

Compatibility:	VIDOS DUO
Sensor:	2.0 Mpx
View angle:	170 °
IR illuminator:	—
LED illuminator:	✓
Fingerprint reader built-in:	—
proximity reader built-in:	—
Built-in keypad:	✓
The number of subscribers served:	1
Video output:	compatible with the VIDOS DUO digital video doorphone system
Main features:	• Fisheye lens • Wiring - 2 wires without polarity • Relay output : 1 pcs or 2 pcs - B5 module • Support up to 13 indoor devices (monitors / uniphones) • PIR detectors support • Permanent or cyclical zoom-up of the observed image • Electric strikes and electromagnetic locks support • Provides the function of an addressed intercom - it allows the addressing of internal panels in the system and communication between them • Electric lock supply: 12V DC / max. 300mA • Call start and lock opening indicator
Power supply:	24 V DC

Power consumption:	≤ 3.84 W (operation) ≤ 0.96 W (Standby mode)
Housing:	Acid-proof steel, Waterproof
Color:	Silver
"Index of Protection":	IP54
Operation temp:	-20 °C ... 55 °C
Weight:	0.69 kg
Dimensions:	183 x 94 x 44 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION

Front panel:



Mounting side view:



View after remove the cover:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

