

Code: LS02

## SIGNAL LAMP **LS02** VIDOS

Net: **21.23 EUR** Gross: **21.23 EUR**

The signal lamp is used to alert the user or other persons about the movement of the gate. The use of the lamp increases the safety level in gate automation systems. The housing made of polycarbonate ensures safety of use and resistance to high temperatures.



### SPECIFICATION

|                        |                                                                                                                                                                                                                                                                        |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Light source:          | LED diodes                                                                                                                                                                                                                                                             |
| Color:                 | Orange                                                                                                                                                                                                                                                                 |
| Flashing light:        | ✓                                                                                                                                                                                                                                                                      |
| Flashing frequency:    | 1 Hz                                                                                                                                                                                                                                                                   |
| Power supply:          | 230 V AC                                                                                                                                                                                                                                                               |
| Main features:         | <ul style="list-style-type: none"><li>• Flashing mode or permanent light set by a jumper</li><li>• Vertical or horizontal mounting possible</li><li>• Possibility to mount to the wall (with bracket) - included</li><li>• Immunity to environmental changes</li></ul> |
| Housing:               | Plastic (PC)                                                                                                                                                                                                                                                           |
| "Index of Protection": | IP54                                                                                                                                                                                                                                                                   |
| Operation temp:        | -20 °C ... 60 °C                                                                                                                                                                                                                                                       |
| Weight:                | 0.17 kg                                                                                                                                                                                                                                                                |
| Dimensions:            | Ø 90 x 125 mm                                                                                                                                                                                                                                                          |
| Manufacturer / Brand:  | VIDOS                                                                                                                                                                                                                                                                  |
| Guarantee:             | <b>3 years</b>                                                                                                                                                                                                                                                         |

### PRESENTATION

Internal view (after open the enclosure):



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Connectors:



Mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|