

Code: ATE-CAM-IPC680

IP MOBILE CAMERA **ATE-CAM-IPC680** - 1080p 2.8 mm AUTONE

Net: **59.32 EUR** Gross: **59.32 EUR**

Mobile IP camera equipped with M12, 6-pin - code A connector, providing image in maximum resolution Full HD, 1080p.



SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.8 " CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	93 °
Range of IR illumination:	15 m
S/N ratio:	≥ 58 dB
RS-485 interface:	—
Memory card slot:	—
ONVIF:	✓
Image compression method:	H.265 / H.264
Alarm inputs / outputs:	—
Audio:	—
Network interface:	10/100 Base-T - M12, 6-pin socket - Code A
Main features:	• Motion Detection • Auto White Balance • AGC - Automatic Gain Control • BLC - Back Light Compensation
Power supply:	12 V DC
Mobile phones support:	—

Default IP address:	192.168.1.26
Default user password:	admin / -
Web browser access ports:	8899
PC client access ports:	8899
Housing:	Mini, Metal
Color:	Black
"Index of Protection":	IP67
Operation temp:	-30 °C ... 70 °C
Weight:	0.32 kg
Dimensions:	86 x 68 x 68 mm
Supported languages:	English
Manufacturer / Brand:	AUTONE
Guarantee:	2 years

PRESENTATION

Front view - small sizes camera:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Camera mounting dimensions:



M12 connector:

1 DC+
2 DC-
3 TX+
4 TX-
5 RX+
6 RX-



In the kit:



OUR OPINIONS



- Very good quality image.
- Solid workmanship.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------