

Code: VTH5221EW-H

INDOOR PANEL IP **VTH5221EW-H** DAHUA

Net: **331.73 EUR** Gross: **331.73 EUR**



The VTH5221EW-H panel has been designed to create a simple and effective system of local communication. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs.

SPECIFICATION

Compatibility:	The SIP Systems
Shield:	7 " capacitive touch screen
Resolution:	1024 x 600
Internal memory:	—
Memory card slot:	Micro SD memory cards up to 32GB support (possible local recording)
Main features:	• Speaker built-in, • Bidirectional communication, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • The ability to automatically take and save photos if you do not answer to the bell button, • The ability to record a short video message in the absence of a response to the bell button, • IP Dahua cameras support, • RS-485 interface, • The ability of direct communication between two or more panels ,
Controlling:	One-touch action buttons + capacitive touch screen
Alarm inputs:	6
Alarm outputs:	1
Power supply:	• 12 V DC / 580 mA, • PoE (802.3af)
Power consumption:	≤ 5 W (operation) ≤ 3.5 W (standby)
Operation temp:	-10 °C ... 55 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	White
Weight:	0.54 kg
Dimensions:	236 x 166 x 43 mm
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



Bottom view:



Memory card slot:



Mounting side view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Connectors:




Dimensions:



Schematic diagram:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg