

Code: VTH1550CH

## INDOOR PANEL IP **VTH1550CH** DAHUA

Net: **211.34 EUR** Gross: **211.34 EUR**

The VTH1550CH panel has been designed to create a simple and effective system of local communication. The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs. **ATTENTION!** The device does not support the Dahua analogue system.



### SPECIFICATION

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compatibility:       | Interphone installation - DAHUA IP Protocol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Shield:              | 7 " TFT-LCD color matrix                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Resolution:          | 800 x 480                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Internal memory:     | —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Main features:       | <ul style="list-style-type: none"><li>• Memory card slot,</li><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Bidirectional communication,</li><li>• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,</li><li>• The ability to automatically take and save photos if you do not answer to the bell button,</li><li>• The ability to record a short video message in the absence of a response to the bell button,</li><li>• IP Dahua cameras support,</li><li>• The ability of direct communication between two or more panels</li></ul> |
| Controlling:         | One-touch action buttons + capacitive touch screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Alarm inputs:        | 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Power supply:        | <ul style="list-style-type: none"><li>• 10 V ... 15 V DC / 450 mA,</li><li>• 24 V PoE - DAHUA IP Protocol</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Operation temp:      | -10 °C ... 60 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Color:               | White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Weight:              | 0.526 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Dimensions:          | 200 x 137 x 28 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Supported languages: | English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60


|                       |                |
|-----------------------|----------------|
| Manufacturer / Brand: | DAHUA          |
| Guarantee:            | <b>3 years</b> |


## PRESENTATION

Front view:



Rear view:






Connectors view:



In the kit:



Example of application:



1. INDOOR PANEL
2. Video doorphone
3. DHI-VTNS1060A
4. Hub / Switch
5. System management center
6. Remote client

## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|