

Code: VTH2421FB

INDOOR PANEL IP **VTH2421FB** DAHUA

Net: **208.33 EUR** Gross: **208.33 EUR**

The VTH2421FB panel has been designed to create a simple and effective system of local communication.

The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs.

ATTENTION! The device does not support the Dahua analogue system.




SPECIFICATION

Compatibility:	Interphone installation - DAHUA
Shield:	7 " TFT-LCD color matrix
Resolution:	1024 x 600
Internal memory:	—
Main features:	• Microphone built-in, • Speakers built-in, • Bidirectional communication, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • IP Dahua cameras support, • Receiving video calls from gate stations, • The ability of direct communication between two or more panels, • Built-in tenant list and list of connections, • Clear graphical interface, • Speakerphone
Controlling:	capacitive touch screen
Alarm inputs:	6
Alarm outputs:	1
RS-485 interface:	—
Power supply:	• 12 V DC / 590 mA, • 24 V DC, PoE - DAHUA
Power consumption:	≤ 7 W (operation) ≤ 1 W (Standby mode)
Operation temp:	-10 °C ... 55 °C
Color:	Black


Weight:	0.33 kg
Dimensions:	222 x 120 x 22 mm
Supported languages:	Polish, English, Bulgarian, Czech, Finnish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:




Rear view:







Connectors view:



In the kit:



Example of application:



1. VTH2421FB
2. Switch dedicated to intercom systems
3. Switch
4. Door station
5. INTERNET
6. Mobile phones support
7. Guard station
8. DSS Express
9. IP Camera
- A. LAN
- B. WAN
- C. Connection with the device
- D. Forward
- E. Remote door open

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------