

Code: VT03211D-P4

VIDEO DOORPHONE **VT03211D-P4** DAHUA

Net: **306.57 EUR** Gross: **306.57 EUR**

The device works with video doorphones, and other DAHUA panels. Video Doorphone is mounted in a surface housing. The device generates a separate QR code for each room (for each VTH panel), which allows connection from the smartphone via the P2P network. ATTENTION! The device does not support the Dahua analogue system.



SPECIFICATION

Compatibility:	DAHUA
Sensor:	1/2.8 ", 2 Mpx CMOS
View angle:	140 °
Image compression method:	H.264
IR illuminator:	✓
proximity reader built-in:	Access control cards - 13.56 MHz S50
The number of subscribers served:	4
UTP category:	UTP cat. 5e
Main features:	• It can only work with the mobile application, without the VTH monitor • The function of the monitor with the ability to open the door can be a smartphone, tablet or the VTH indoor panel • Bidirectional communication, • Microphone built-in, • Speakers built-in, • Tamper detection - opening the enclosure, • Vandal-proof front panel, • Output for the additional lock release button
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS There are also other versions of mobile applications: gDMSS Plus, iDMSS Plus
Power supply:	• PoE (802.3af), • 12 V DC / 580 mA

Power consumption:	≤ 7 W (operation) ≤ 1 W (Standby mode)
Housing:	Aluminum - powder painted, Waterproof
Color:	Graphite
"Index of Protection":	IP65 - after additional sealing the housing connection with the mounting surface, e.g. with silicone
Mechanical strength:	IK08
Operation temp:	-40 °C ... 60 °C
Weight:	0.47 kg
Dimensions:	182 x 101 x 31 mm
Supported languages:	Polish, English, Bulgarian, Czech, Finnish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Rear view:




Connectors view:



Dimensions:




Method of mounting:




In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Examples of connection diagrams:

1)




1. Power supply
2. Doorbell button
3. Reed switch
4. Door lock (strike)
5. Indoor panel VTH 1
6. Indoor panel VTH 4
7. Apartment No. 1

2)



1. Power supply
2. Doorbell button

- 3. Reed switch
- 4. Door lock (strike)
- 5. Indoor panel VTH 1
- 6. Indoor panel VTH 4
- 7. Apartment No. 1
- 8. Apartment No. 2



- 1. Power supply
- 2. Doorbell button
- 3. Reed switch
- 4. Door lock (strike)
- 5. Indoor panel VTH 1
- 6. Indoor panel VTH 4
- 7. Apartment No. 1
- 8. Apartment No. 2
- 9. Apartment No. 3
- 10. Apartment No. 4

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------