

Code: DS-KH8340-TCE2/EU-WHITE

## INDOOR PANEL **DS-KH8340-TCE2/EU-WHITE** Hikvision

Net: **198.37 EUR** Gross: **198.37 EUR**

The DS-KH8340-TCE2/EU-WHITE panel has been designed to create a simple and effective system of local communication. The device is fully configurable via the **ivMS4200** software. In addition, the device has the ability to work with the **Hik-Connect** application on mobile devices.



### SPECIFICATION

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compatibility:                  | Interphone installation - HIKVISION 2-wire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Shield:                         | 7 " - capacitive touch screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Resolution:                     | 1024 x 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Internal memory:                | —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Memory card slot:               | SD memory cards up to 32GB support (possible local recording)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Mobile phones support:          | <ul style="list-style-type: none"><li>• Android: Free application <a href="#">Hik-Connect</a></li><li>• iOS (iPhone): Free application <a href="#">Hik-Connect</a></li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Default administrator password: | 888999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Main features:                  | <ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Bidirectional communication,</li><li>• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,</li><li>• Automatically capture and save photos if there is no response to the bell button,</li><li>• Support for capturing a photo during video calls,</li><li>• Register a short voice message if there is no response to the bell button,</li><li>• Full support via network,</li><li>• LEDs for system state indication and user interface display,</li><li>• Possibility to connect up to 3 compatible devices (door stations, internal panels, KAD-709 controller),</li><li>• Support for capturing a photo during video calls,</li><li>• IP Hikvision cameras support</li></ul> |
| Controlling:                    | One-touch action buttons + capacitive touch screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Alarm inputs:                   | —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Power supply:                   | 24 V DC - via DS-KAD709                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Power consumption:              | ≤ 10 W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                       |                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Color:                | White                                                                                                                                 |
| Operation temp:       | -10 °C ... 50 °C                                                                                                                      |
| Weight:               | 0.52 kg                                                                                                                               |
| Dimensions:           | 196 x 133 x 25 mm                                                                                                                     |
| Supported languages:  | Polish, English, Bulgarian, Croatian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Romanian, Serbian, Hungarian, Italian |
| Manufacturer / Brand: | Hikvision                                                                                                                             |
| SAP Code:             | 305301251                                                                                                                             |
| Guarantee:            | <b>3 years</b>                                                                                                                        |

## PRESENTATION

Front view:




Rear view:






Connectors view:



Memory card slot:



Connection schematic diagram:



1. Indoor panel
2. Video doorphone
3. Router
4. Power adapter
5. Electromagnetic lock


A 1-pair cable

B Twisted-pair cable

C Wi-Fi

D Power supply cable

In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|