

Code: UT-P1305

LABORATORY POWER SUPPLY **UT-P1305** UNI-T

Net: **142.36 EUR** Gross: **142.36 EUR**

The UT-P1305 laboratory power supply allows you to generate a constant voltage or current with strictly defined parameters. The device can work in one of two modes: as a source of constant voltage or as a source of constant current.



SPECIFICATION

Output voltage range of the power adapter:	0 V ... 32 V
Power supply output current range:	0 A ... 5 A
Output power:	160 W
Setting resolution:	- Voltage : 100 mV - Current : 10 mA
Setting accuracy:	$\pm (1\% + 2)$
Ripple and noise:	- Voltage : ≤ 1 mV RMS - Current : ≤ 3 mA RMS
Number of outputs:	1
Display:	LED display - Double
Power supply:	230 V AC / 110 V AC - selectable by switch
Operation temp. / Relative humidity:	0 °C ... 40 °C / 10 % ... 80 %
Weight:	5.46 kg
Dimensions:	280 x 145 x 170 mm
Manufacturer / Brand:	UNI-T
Guarantee:	2 years

PRESENTATION

Front view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:





In the kit:



OUR OPINIONS



- Aesthetic and solid construction.



- Continuous fan operation regardless of load.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------