

Code: CS-WT-240A

CABLES TESTER **CS-WT-240A**

Net: **37.86 EUR** Gross: **37.86 EUR**

The CS-WT-240A tester is used to measure cable continuity, check the type of UTP and detect the condition of the telephone line. The device allows you to perform measurements on telephone lines, twisted-pair cables and coaxial cables. An additional function is the ability to search for a specific wire from among more tangled cables or in a large bundle of wires.



SPECIFICATION

Tested cables:	STP / UTP cat. 5, 5e, 6 - RJ45 (8P8C), RJ11 (6P4C), Coaxial cable
Power supply:	Cables tester : 2 x 1.5V, type AA/LR6/FR6 battery (not included) Probe : 2 x 1.5V, type AA/LR6/FR6 battery (not included)
Main features:	• Identification the wire in the group of wires • Approximate location of cable damage • Telephone line condition detection • Checking the STP cable shielding continuity • "Find port" function - quick search of the port in a network device • Searching and testing cables in PoE mode • Pair integrity test • Maximum withstand PoE voltage during the measurement : 60 V DC • Low battery level alarm
Weight:	0.16 kg - Cables tester 0.16 kg - Probe
Dimensions:	154 x 62 x 28 mm - Cables tester 218 x 47 x 32 mm - Probe
Guarantee:	2 years

PRESENTATION

Front panel:



Probe:



Connectors:



Connectors:



Place for batteries 2 x 1.5V AA:





Device is secured by handy case:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

