

Code: FH-4001R


POWER GENERATOR **FH-4001R** 3800 W Honda GX 270 FOGO

Net: **1 172.66 EUR** Gross: **1 172.66 EUR**

A power generator with manual start is perfect for emergency power supply: a central heating furnace, home, office, camping, industrial equipment, as well as on boats and yachts. The Honda engine used in the generator ensures high reliability and high work efficiency.

The genset engine's rubber stabilizers and engine mounts dampen vibrations and minimize noise.

The generator is equipped with an Automatic Voltage Regulation system AVR, which allows to eliminate unfavorable voltage fluctuations to a large extent.



SPECIFICATION

Nominal power:	3800 W
Maximum power:	4200 W
Output voltage:	230 V AC
Number of outlets:	2 pcs - single-phase
Built-in voltmeter:	—
Output frequency:	50 Hz
Voltage stabilization:	AVR
12V DC output:	—
Engine power:	8 HP
Engine capacity:	270 cm ³
Engine type:	Honda GX 270 1 cylinder, 4 stroke, gasoline, air cooled
Starting the engine:	Manual
Noise level during operation:	96 dB
Average fuel consumption:	2.2 l/h - 75 % power
Fuel tank capacity:	5.3 l
Fuel gauge:	—
Main features:	• Low oil level indicator light • Overload protection
Weight:	56 kg


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	650 x 520 x 490 mm
Manufacturer / Brand:	FOGO
Guarantee:	3 years - The condition is to conduct paid service every year - a warranty inspection at authorized Honda or FOGO service stations, otherwise 12 months

PRESENTATION



Device sockets:




Oil filler:




Choke lever and fuel valve:




Ignition switch:



Oil filler and drain plug:



Air filter:



Fuel filler:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

