

Code: UNIFI-UAP-AC-PRO

ACCESS POINT **UNIFI-UAP-AC-PRO** UBIQUITI

Net: **192.05 EUR** Gross: **192.05 EUR**

The UBIQUITI UNIFI-UAP-AC-PRO is a device working in 3x3 MIMO (Multiple Input Multiple Output) standard.

The device is easy to use and manage. The distinguishing feature of the product is additional software UniFi WiFi Enterprise System, which enables configuration and management of the UniFi devices network, from computer via a web browser.



SPECIFICATION

Frequency range:	• 5150 MHz ... 5875 MHz, • 2412 MHz ... 2462 MHz
Antenna type:	3Tx 3Rx MIMO, 2.4 GHz / 5.0 GHz - 3 dBi, Integrated - 3 x Omnidirectional antenna
Standards:	• IEEE 802.11ac, • IEEE 802.11b, • IEEE 802.11g, • IEEE 802.11n
Baud rates:	• 1300 Mbps @ 5 GHz, • 450 Mbps @ 2.4 GHz
Wireless transmission range:	122 m
Protections:	WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)
LAN ports:	2 x 10/100/1000 Mbps BASE-TX (Cat. 5, RJ-45)
Operating system:	UniFi WiFi Enterprise System
Transmitter power:	• 22 dBm @ 2.4 GHz (max) • 22 dBm @ 5.0 GHz (max)
Power supply PoE:	44 V ... 57 V - Ubiquiti Passive PoE, PoE (802.3af/at)
Power supply:	48 V / 0.5 A - PoE Adapter - included
Power consumption:	9 W
Main features:	• Possibility to mount on the wall or ceiling • UniFi WiFi Enterprise System • AP placement and RF maps • Easy and uniform management system for many devices • Intuitive installation and configuration of many advanced functions

Operation temp:	-10 °C ... 70 °C
Permissible relative humidity:	5 % ... 95 %
Weight:	• 0.33 kg • 0.47 kg (with mounting kits)
Dimensions:	Ø 197 x 36.5 mm
Manufacturer / Brand:	UBIQUITI
Guarantee:	2 years

PRESENTATION

Bottom view:



Mounting side view:






Dimensions:



Connectors:



In the kit:



OUR OPINIONS



- o Modern and ergonomic design.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------