

Code: ARCHER-MR200

ACCESS POINT 4G LTE +ROUTER **ARCHER-MR200** 2.4 GHz, 5 GHz
433 Mbps + 300 Mbps TP-LINK
Net: **96.98 EUR** Gross: **96.98 EUR**

The ARCHER-MR200 Wireless Router, operating in accordance with the IEEE 802.11 ac/b/g/n standard, allows to share a network connection between several users in areas that are covered by 3G/4G signal.

The device does not require any additional configuration, it is ready to use immediately after placing the SIM card inside and connecting the power supply.



SPECIFICATION

Frequency range:	2.4 GHz , 5 GHz
Antenna type:	3 x WiFi - built-in , 2 x 4G LTE
Standards:	IEEE 802.11 b/g/n, IEEE 802.11 a/n/ac, IEEE 802.3/3u
Baud rates:	• 5 GHz : 433 Mbps (max) + 2.4 GHz : 300 Mbps (max) • LTE : 150 Mbps
Modulation type:	DBPSK, DQPSK, CCK OFDM, 16-QAM, 64-QAM
LAN ports:	• 1 x 10/100 Mbps - LAN/WAN • 3 x 10/100 Mbps - LAN
Receiver sensitivity:	5 GHz : • 11a 54M: -74dBm • 11ac HT20: -67dBm • 11ac HT40: -64dBm • 11ac HT80: -60dBm • 11n HT20: -71dBm • 11n HT40: -70dBm 2.4 GHz : • 11g 54M: -76dBm • 11n HT20: -73dBm • 11n HT40: -67dBm
LTE:	✓
QSS:	✓
WDS:	✓
Power supply:	12 V DC / 1 A (power adapter included)
Operation temp:	0 °C ... 40 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Permissible relative humidity:	95 % (non-condensing)
Main features:	• SIM socket • WPS/RESET button
Weight:	0.26 kg
Dimensions:	202 x 163 x 34 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	3 years

PRESENTATION

Rear view:



Connectors:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------