

Code: B5

UNIVERSAL CONTROL MODULE 24V **B5** VIDOS

Net: **26.32 EUR** Gross: **26.32 EUR**

The B5 control module enables to increase the capabilities of the VIDOS DUO video doorphone system with the possibility of operating the second bolt/gate or lighting control.

The module also enables operation of high-current bolts and opening the entrance using an additional NO contact switch at the exit from the property.




SPECIFICATION

Number of relay outputs:	1
Power supply:	24 V DC
Relay maximal load:	2 A / 24 V DC
Output:	1 x NO/NC
Main features:	• Wiring - 2 wires without polarity • Electric lock supply: 12V DC / max. 300mA • DIP SWITCH for configuration and addressing • Operation status LED indicator • Output for the additional lock release button or lighting control button • Possibility to mount on a wall, or on the DIN TS-35 rail
Weight:	0.13 kg
Dimensions:	89 x 71 x 45 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION


Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:





Mounting side view:




Internal view (after open the enclosure):



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60