

Code: PPO-16/4

FIBER OPTIC DISTRIBUTION BOX **PPO-16/4** OPTON

Net: **23.16 EUR** Gross: **23.16 EUR**

Enclosure is designed to mount directly on the room's wall where the line cable is terminated.

Attention! Inside the housing, it is not possible to install adapters.



SPECIFICATION

Number of line cables:	max. 2
Number of splice cassettes:	max. 1
Main features:	• 6 fusion or 6 mechanical splices • In the patch panel enclosure can be mounted so-called cassette splitter
Housing type:	Wall-mounted, hanging, It is possible to mount on the rack of a spare fiber optic cable
Material:	Plastic
Color:	Gray
Key closed:	✓
"Index of Protection":	IP65
Weight:	1.22 kg
Dimensions:	302 x 235 x 103 mm
Manufacturer / Brand:	OPTON
Guarantee:	2 years

PRESENTATION

Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Bottom view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60