Code: RI-2/1F-BL

SPLITTER **RI-2/1F-BL**

Net: 2.35 EUR Gross: 2.35 EUR



SPECIFICATION

Number of inputs:	1 pcs
Number of outputs:	2 pcs
Frequency range:	5 ... 1000 MHz
Attenuation:	3.5 dB
Possibility to pass the DC voltage to the preamplifier:	–
Shielding:	✔
Impedance:	75 Ω
Housing:	• For outdoor use • Splash-proof casing • Plastic
Mount:	To the mast, To the wall
Weight:	0.075 kg
Dimensions:	77 x 68 x 44 mm
Guarantee:	2 years

PRESENTATION

Internal view of the housing:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Bottom view:



Mounting side view:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60