

Code: AWO-620

ENCLOSURE **AWO-620**

Net: **84.63 EUR** Gross: **84.63 EUR**

Enclosure is designed to indoor use, it has also very good corrosion protection.
Due to its design, the AWO-620 enclosure can be used as an integration part of installation systems, such as CCTV, KD, SSWiN, SAT.



SPECIFICATION

Place for battery:	max. 2x17 Ah
Transformer:	—
Tamper protection:	TAMPER switch indicating open the cover
Key closed:	—
Application:	• Devices for mounting on a DIN, TS-35 rail, • Alarm control panel, • Transformers series TRP, TRZ, TOR, • Enclosed Power Supply Units PS, PSB
Material:	Steel - powder painted
Color:	Gray RAL-7035
Weight:	7.5 kg
Dimensions:	505 x 355 x 150 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view (possible to bend metal elements are visible, useful during installation eg with ties):




Internal view of the housing:



Top view:



Dimensions:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

