


Code: TT-9/32-FT

MULTISWITCH **TT-9/32-FT** 9 INPUTS / 32 OUTPUTS TELMOR

Net: **248.71 EUR** Gross: **248.71 EUR**

TT-9/xxFT Multiswitches is a series of end multiswitches that allow to build large and very large collective installations. An undoubted advantage of multiswitches is the built-in characteristic pre-correction.



SPECIFICATION

Inputs:	• 8x 950 MHz ... 2150 MHz, • 1x 5 MHz ... 862 MHz
Outputs:	32
Switching signals:	• 13 V / 18 V, • 0 Hz / 22 kHz, • DiSEqC 2.0
SAT Tap loss:	-2 ... +1 dB
TV Tap loss:	• Passive : -25 ... -19 dB • Active : -5 ... +1 dB
Return loss:	• TV input : 10 dB • SAT input : 8 dB
Maximal output level SAT:	92 dB μ V
Maximal output level TV:	95 dB μ V
Isolation:	• Between inputs TV/SAT : > 24 dB • Between inputs SAT/TV : > 60 dB • Interpolarized H/V : > 30 dB
Pre-amplifiers powering:	12 V DC / 150 mA
Power supply:	12 V DC / 1.5 A (power adapter included)
Dimensions:	190 x 290 x 40 mm
Weight:	0.88 kg
Manufacturer / Brand:	TELMOR
Guarantee:	2 years

PRESENTATION


Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------