

Code: MOD-HDMI/DVB-T

MODULATOR DVB-T **MOD-HDMI/DVB-T**

Net: **115.90 EUR** Gross: **115.90 EUR**

The MOD-HDMI/DVB-T digital modulator allows to put the HD signal (from camera, terrestrial, satellite TV receiver, Blu-ray, DVD player, etc.) from HDMI input to RF OUT output as DVB-T (COFDM), Full HD 1080p standard in VHF/UHF bands.



SPECIFICATION

Inputs:	1 pcs HDMI, Full HD 1080p
Encoding:	MPEG-4 AVC / H.264
Supported HDMI resolutions:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p @ 24 / 50 / 60 fps
Output:	1 pcs RF (F)
RF output level adjustment:	—
RF output frequency (channels) range:	139 ... 950 MHz
Modulation type:	QPSK, 16-QAM, 64-QAM
Power supply:	5 V DC / 2 A (power adapter included)
Main features:	• The channel selection is made using switches • Aspect ratios 4:3, 16:9
Weight:	0.12 kg
Dimensions:	94 x 87 x 28 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Device connectors:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------