

Code: IYYAMA-XUB2792QSU-B1

MONITOR HDMI, DP, DVI, AUDIO **IYYAMA-XUB2792QSU-B1** 27 "

Net: **353.02 EUR** Gross: **353.02 EUR**



SPECIFICATION

Screen size:	27 "
Native resolution:	2560 x 1440 px
Aspect ratios:	16 : 9
Matrix type:	IPS, Matte matrix
Contrast:	1000 : 1 (typical) 5 000 000 : 1 - ACR
Brightness:	350 cd/m ²
Viewable angles:	178 ° (horizontal) 178 ° (vertical)
Response time:	5 ms
Number of displayed colors:	1.07 B, 10 - bit
Refresh frequency:	55 Hz ... 75 Hz
Speakers built-in:	2 x 2 W
Signal connectors:	• 1 x DVI, • 1 x DisplayPort, • 1 x HDMI • 2 x Jack 3.5 mm socket - Line in and out • 1 x USB • 2 x USB 3.0 - HUB USB • 230 V AC
HDCP:	✓
Housing type:	Plastic

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power management:	TCO, CE, TÜV-GS, EPEAT, CU
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Main features:	• Flicker-free - The technology eliminates the tiring eyes flickering image effect • The blue light reduction function, which is the most unhealthy for the eyes, limits its emission • Height adjustment : 120 mm, • Tilt adjustment : - 5 ° ... 22 ° • The monitor stand allows to change the position of the screen from horizontal to vertical - Pivot
Power supply:	230 V AC
Power consumption:	• 30 W (typical) • 0.5 W (in standby mode)
Weight:	7.64 kg
Dimensions:	• 611 x 413 x 230 mm (with stand) • 611 x 371.5 x 54 (without stand)
Manufacturer / Brand:	Iiyama
Guarantee:	2 years

PRESENTATION



Pivot:



OSD menu control keys:



Side view:





Tilt adjustment:



USB connectors:



Rear view:




Monitor connectors:





Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------