

Code: VM-2201M-K

MONITOR VGA **VM-2201M-K** 21.5 "

Net: **76.10 EUR** Gross: **76.10 EUR**



SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px - Full HD
Aspect ratios:	16 : 9
Matrix type:	IPS color matrix, LED backlight, Matte matrix
Contrast:	1000 : 1 (typical)
Brightness:	250 cd/m ²
Speakers built-in:	—
Signal connectors:	• 1 x VGA, • 1 x 2.1/5.5 mm socket 12 V DC
Number of displayed colors:	16.7 M
Refresh frequency:	60 Hz
Housing type:	Plastic
Power management:	—
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - by monitor control keys
Designed to continuous operation 24/7:	—

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power supply:	12 V DC / 2 A (power adapter included)
Power consumption:	≤ 24 W (typical)
Weight:	2.04 kg
Dimensions:	• 505 x 375 x 193 mm (with stand) • 505 x 304 x 45 mm (without stand)
Guarantee:	2 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:



Monitor connectors:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------