

Code: EXT-POE3

EXTENDER ETHERNET+PoE **EXT-POE3** PULSAR

Net: 29.55 EUR Gross: 29.55 EUR

The EXT-POE3 extender is a device designed to increase the distance of PoE power supply and Ethernet data using the UTP cat. 5/5e twisted pair cable for another 100 m. The device is powered from the PoE switch or other device compliant with this standard.

Attention! The device can not be used in networks with bandwidth 1Gbit/s (Gigabit Ethernet).



SPECIFICATION


Number of inputs:	1 pcs - RJ-45 socket
Number of outputs:	3 pcs - RJ-45 socket
Power supply:	Compliance with PoE (802.3af/at) : 44 V ... 57 V DC
Output voltage:	Compatible with the power supply voltage
Output current:	• 0.6 A - PoE OUT 1/2 ports - Compliance with PoE (802.3af/at) • 0.3 A - Port PoE OUT 3 - Passive PoE Total max. 0.6 A
Input power pairs PoE IN:	1/2 (+) 3/6(-) 4/5 (+) 7/8 (-)
Output power pairs PoE OUT1/2:	4/5 (+) 7/8 (-) - Passive PoE
Ethernet interface:	10/100 Mb/s
Protections:	• Short-circuit • Overload
Operation state indication:	LED diodes
Operation temp:	-10 °C ... 40 °C
Weight:	0.11 kg
Dimensions:	87 x 77 x 25 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION


Connectors:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



Schematic diagram:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------