

Code: DA/AU-2

CONVERTER DA/AU-2

Net: 8.95 EUR Gross: 8.95 EUR

Device allows to connect the devices equipped with digital Coaxial or Optical output only to the receivers equipped with analog audio (L/R) input.



SPECIFICATION

Inputs:	1 pcs Coaxial (CINCH) 1 pcs Optical TOSLINK
Outputs:	Audio (2 x cinch - L/R)
Supported audio formats:	LPCM (stereo) channels
Sampling frequency:	32, 44.1, 48, 96 kHz
Power supply:	5 V DC / 0.5 A
Weight:	0.07 kg
Dimensions:	51 x 41 x 26 mm
Guarantee:	2 years

PRESENTATION

Device input and outputs:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60





Top view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60