

Code: PRT66LT-G

PROXIMITY READER **PRT66LT-G** ROGER

Net: **52.09 EUR** Gross: **52.09 EUR**

Outdoor proximity cards and key-fobs reader. Unique 125 kHz standard.



SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 15 cm
Keyboard built-in:	—
Autonomous operation:	—
Doorbell button:	—
Output lines:	2
Tamper output:	✓
Battery backup support:	—
Communication:	• Wiegand 26-66bit • Magstripe (Clock & Data) • RACS (Roger)
Main features:	• Tamper protection (detection of removing from mounting surface and enclosure opening) • LED indication • Beep signal • Manual or computer programming
Power supply:	10 ... 15 V DC
Average current consumption:	45 mA
Environment class:	IV
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

"Index of Protection":	IP67
Weight:	0.14 kg
Dimensions:	85 x 85 x 27 mm
Manufacturer / Brand:	ROGER
Guarantee:	3 years

PRESENTATION

Front panel:




Rear view:






Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------