

Code: ATLO-KRM-855

CODE LOCK **ATLO-KRM-855** Wi-Fi

Net: **35.32 EUR** Gross: **35.32 EUR**

Indoor, autonomous code lock with RFID reader.

Autonomous operation of the device allows the user to:

- Open by using a card or PIN code.
- Opening via the mobile application.
- Remember stored cards or PIN codes.
- Signaling left the door open.
- Acoustic and optical signaling.

Administrator capabilities are following:

- Programming by using the keypad.
- Adding a new card by using the keypad.
- Adding a new card and entering a PIN code.
- Pairing a mobile device.
- Changing the PIN code of the user.
- Deleting the PIN code of the user.
- Setting the lock release time.
- Restoring the default settings.



SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 5 cm
Autonomous operation:	✓
Keyboard built-in:	✓
Doorbell button:	✓
Tamper output:	—
Mobile phones support:	It is possible to operate via the Wi-Fi network from the mobile application on the iOS, Android systems : • Android: Free application eWeLink • iOS (iPhone): Free application eWeLink
Power supply:	12 V DC $\pm$ 10%
Maximal current consumption:	60 mA
Main features:	• 2000 indexed users, • Wiegand interface 26 bit, • Built-in Wi-Fi module • Identification: Card and/or PIN • Blue backlight of the keys • Support for door contact and exit button • NO/NC output • Possible connection of the external ATLO-R series reader (read in/out door control)
Operation temp:	-40 °C ... 60 °C
Permissible relative humidity:	10 ... 90 % (non-condensing)
Housing:	Plastic - Narrow profile

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	Black
Weight:	0.07 kg
Dimensions:	47 x 112 x 22 mm
Manufacturer / Brand:	ATLO
Guarantee:	3 years

PRESENTATION

Front panel view:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors description:



Internal view of the housing:



Typical connection diagram:






Diagram with a special power supply adapter:



Reader mode:



In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

