

Code: ATLO-KRMF-555

CODE LOCK **ATLO-KRMF-555** Wi-Fi eWeLink

Net: **104.06 EUR** Gross: **104.06 EUR**

Outdoor, autonomous code lock with fingerprint and RFID reader.

Autonomous operation of the device allows the user to:

- Opening by card, PIN or fingerprint.
- Remembering saved cards, PINs and fingerprint patterns.
- Signaling left the door open.
- Acoustic and optical signaling.
- The ability to open with the application for smartphones.

Administrator capabilities are following:

- Programming by using the keypad.
- Adding a new card by using the keypad.
- Adding a new card and entering a PIN code.
- Changing the PIN code of the user.
- Deleting the PIN code of the user.
- Setting the lock release time.
- Restoring the default settings.
- The ability to open with the application for smartphones.

ATTENTION! It can be used outdoors, but under a roof.



SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 5 cm
Autonomous operation:	✓
Keyboard built-in:	✓
Doorbell button:	—
Tamper output:	—
Power supply:	12 V ... 24 V DC $\pm$ 10%
Maximal current consumption:	60 mA
Mobile phones support:	It is possible to operate via the Wi-Fi network from the mobile application on the iOS, Android systems : • Android: Free application eWeLink • iOS (iPhone): Free application eWeLink
Main features:	• Control of touch-sensitive buttons, • 10 000 indexed users, • 300 indexed fingerprints • Opening by card, PIN or fingerprint , • The ability to open with the application for smartphones - Wi-Fi module, • Wiegand interface 26 bit • White backlight • Support for door contact and exit button • NO/NC output • Possible connection of the external ATLO-R series reader (read in/out door control)
Operation temp:	-40 °C ... 60 °C

Permissible relative humidity:	10 ... 90 % (non-condensing)
Housing:	High quality stainless steel + Tempered glass
Color:	Silver + Black
"Index of Protection":	IP68
Vandal-proof:	✓
Weight:	0.46 kg
Dimensions:	70 x 140 x 24 mm
Manufacturer / Brand:	ATLO
Guarantee:	3 years

PRESENTATION

Front panel view:



Rear view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors description:



Connection diagram:



In the kit:



OUR OPINIONS



- o Aesthetic and solid construction.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------