

Code: SP-OM36

## OPTICAL POWER METER **SP-OM36** Spacetronik

Net: 53.20 EUR Gross: 53.20 EUR



### SPECIFICATION

|                          |                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sensor type:             | InGaAs                                                                                                                                                                                                                                                                                                                                                                                        |
| Optical wavelength:      | 850 nm / 1300 nm / 1310 nm / 1490 nm / 1550 nm / 1625 nm                                                                                                                                                                                                                                                                                                                                      |
| Power measurement range: | 26 ... -50 dBm                                                                                                                                                                                                                                                                                                                                                                                |
| Accuracy:                | ± 3 %                                                                                                                                                                                                                                                                                                                                                                                         |
| Measuring accuracy:      | 0.01 dBm                                                                                                                                                                                                                                                                                                                                                                                      |
| Connector type:          | FC, SC, ST                                                                                                                                                                                                                                                                                                                                                                                    |
| Main features:           | <ul style="list-style-type: none"><li>• The device is equipped with a 2.5mm universal connector with FC, SC, ST adapters</li><li>• High durability tool, made from high quality materials</li><li>• Automatic calibration after turned on</li><li>• Wide measuring range</li><li>• High measurement accuracy</li><li>• Small dimensions</li><li>• The set includes a practical case</li></ul> |
| Power supply:            | 3 x 1.5 V - Battery type LR3 (AAA) (included)                                                                                                                                                                                                                                                                                                                                                 |
| Weight:                  | 0.106 kg - Without batteries                                                                                                                                                                                                                                                                                                                                                                  |
| Dimensions:              | 131 x 65 x 27 mm                                                                                                                                                                                                                                                                                                                                                                              |
| Manufacturer / Brand:    | Spacetronik                                                                                                                                                                                                                                                                                                                                                                                   |
| Guarantee:               | 2 years                                                                                                                                                                                                                                                                                                                                                                                       |

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Front panel:



The device is equipped with a 2.5mm universal connector with FC, SC, ST adapters:



Place for batteries 3 x 1.5V AAA:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

