

Code: DHL32

MONITOR VGA, 2xVIDEO, DVI-D, HDMI **DHL32** 31.5 " DAHUA

Net: **1 394.63 AUD** Gross: **1 394.63 AUD**

CCTV monitor with solid metal housing. Designed to continuous operation 24/7. The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination. The device is designed to continuous work in closed spaces.



SPECIFICATION

Screen size:	31.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT-LCD color matrix
Matrix backlight:	In LED technology
Supported standards:	PAL/NTSC
Contrast:	1200 : 1
Brightness:	350 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	8 ms
Speakers built-in:	✓
Signal connectors:	• Composite Video (BNC) sockets: 2x in, 2x out • 1x VGA • 1x HDMI • 1x DVI • 1x USB 2.0 • RS-232 - In/out sockets RJ-45 • 1x Jack 3.5 mm socket - Audio input
Housing type:	Metal
Monitor mounting standard:	8 x M6 screw - 300 x 300 / 250 / 220 / 150 mm
Power supply:	230 V AC
Power consumption:	• 35 W (operation) • ≤ 1 W (Standby mode)
Monitor control:	Remote control

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	0 °C ... 50 °C
Weight:	9.5 kg
Dimensions:	751 x 455 x 44 mm
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Side view:



Rear view:



Monitor connectors:



In the kit:



OUR OPINIONS



- Designed to continuous operation 24/7.
- LED matrix illumination technology (very good image contrast even at sunny room).
- Solid metal housing.



- A stand is not included.

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

