

Code: MS-35P

MONITOR VIDEO, AUDIO **MS-35P** 3.5 "

Net: **70.74 EUR** Gross: **70.74 EUR**

Service color monitor is very helpful for CCTV system configuration. Due to small sizes it can be very quickly and easily connected to the camera or DVR for configuration their parameters.

The device is powered from battery or power supply adaptor. So, it is the perfect test tool for CCTV systems, as well as for other devices with Composite Video (AV) output. An additional advantage is the possibility to power the connected devices with DC 12V and max. 500mA current consumption, and also the long operation time. Monitor is equipped with plastic housing.



SPECIFICATION

Screen size:	3.5 "
Native resolution:	320 x 240 px
Contrast:	400 : 1
Brightness:	250 cd/m ²
Response time:	10 ms
Image adjustment:	brightness
Video signal standard:	NTSC/PAL auto
Video input:	1 pcs by included cable
Video output:	1 pcs Jack 3.5 mm socket
Sleep function:	after 2 mins video signal off
Audio input:	1 pcs Jack 3.5 mm socket or by included cable
Audio output:	1 pcs Jack 3.5 mm socket
Speaker built-in:	with Mute function
Operation temp:	0 °C ... 60 °C
Battery power supply:	• Batteries : 2200 mAh (included) • 5 V DC (power adapter included)
Weight:	0.160 kg
Dimensions:	93 x 73 x 42 mm
Guarantee:	2 years

PRESENTATION

Monitor can be hand mounted without movement limitations:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:



Top view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------