


Code: SUG-7-DIN/RS-485

# OVERVOLTAGE PROTECTION **SUG-7-DIN/RS-485** RS-485 SYMMETRIC LINE EWIMAR

Net: 33.29 EUR Gross: 33.29 EUR

Protection device, protects the devices against lightning discharges or surges in AC 230V power lines. SUG-7-DIN/RS-485 is designed to mount on the DIN 35 mm rail.

The condition of correct protection is connecting the SUG-7-DIN/RS-485 device to the proper grounding or PE wire.



## SPECIFICATION

|                                     |                                   |
|-------------------------------------|-----------------------------------|
| Nominal voltage (line-line):        | 10 V DC                           |
| Maximal voltage (line-line):        | 14 V DC                           |
| Maximal voltage line-PG:            | 90 V DC                           |
| Voltage protection level shield-PG: | 350 V DC                          |
| Voltage protection level line-line: | 250 A                             |
| Voltage protection level line-PG:   | 10 kA                             |
| Lightning current line-PG:          | 3.5 kA                            |
| Nominal series current:             | 300 mA                            |
| Maximal series current:             | 300.5 mA                          |
| Operation state indication:         | —                                 |
| Connectors type:                    | 2 x terminals RS-485              |
| Housing:                            | Plastic, DIN, TS-35 rail mounting |
| Weight:                             | 0.050 kg                          |
| Dimensions:                         | 95 x 58 x 18 mm                   |
| Manufacturer / Brand:               | EWIMAR                            |
| Guarantee:                          | 2 years                           |

## PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front view:



Side view:



Mounting side view:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

