

Code: ATK-P2

PANEL ANTENNA ATK-P2

Net: 20.61 EUR Gross: 20.61 EUR

The ATK-P2 is a panel, directional antenna designed to transmit signals from/to GSM repeater.



SPECIFICATION

Frequency range:	806 ... 960 MHz 1710 ... 2500 MHz
Connector:	"N" Socket
Gain :	max. 7.5 dB GSM max. 10 dB UMTS
Impedance:	50 Ω
Polarization:	Vertical
Main features:	• Very easy and quick assembly • Small dimensions
Weight:	0.34 kg
Dimensions:	210 x 180 x 44 mm
Guarantee:	2 years


PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60





Method of mounting:



- 1) antenna
- 2) Mounting bracket
- 3) screws
- 4) connector

Antenna characteristics:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60