

Code: JA-80PB

WIRELESS PIR AND GLASS-BREAK DETECTOR **JA-80PB** JABLOTRON

Price visible after login

The JA-80PB detector allows detection of motion in the protected area and glass break detection.



SPECIFICATION

Support:	JABLOTRON 80
Battery power supply:	• 1 x AA 3.6 V Lithium battery (not included) - PIR detector • 1 x 1/2 AA 3,0 V Lithium battery (not included) - Glass break detector
Battery lifetime:	~ 3 years
Frequency range:	868 MHz OASiS protocol
Radio communication range (at open area):	~ 300 m
Recommended installation height:	2 ... 2,5 m above floor level
Detection angle / Detection range:	• 120 ° / 12 m - PIR detector • 360 ° / 9 m - Glass break detector
Environment class:	2 grade
Operation temp:	-10 °C ... 55 °C
Dimensions:	110 x 60 x 55 mm
Weight:	0.120 kg
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

PRESENTATION

Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:





Mounting side view:



In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

