

Code: DSC-HSM2204

THE POWER SUPPLY MODULE AND 4 PROGRAMMABLE OUTPUTS **DSC-HSM2204**

Net: **63.46 EUR** Gross: **63.46 EUR**

1 A power supply module and 4 high-current programmable outputs.

This device is dedicated for DSC alarm control panels.




SPECIFICATION

Number of outputs:	4 pcs
Outputs type:	4 pcs - OC output
Tamper input:	✓
Current-carrying capacity, AUX output:	1 A
Load capacity of OC type programmable outputs:	1 A
Relay switching current:	—
Current consumption by active relay:	—
Current consumption (w/o OC type output load and w/o active relays):	—
Protection class (Grade):	2
Battery backup support:	12 V / min. 7 Ah
Power supply:	16.5 V AC / 40 mA
Main features:	• Protection against deep discharge of the battery • Supervised output for siren connection • Supervision of power failures, battery status and AUX failure
Operation temp:	-10 °C ... 55 °C
Weight:	0.09 kg
Dimensions:	145 x 83 mm
Manufacturer / Brand:	DSC
Guarantee:	2 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Connectors:



Top view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

