

Code: ACU-120

WIRELESS SYSTEM CONTROL **ACU-120** SATEL

Net: **75.07 EUR** Gross: **75.07 EUR**

The ACU-120 controller makes it possible to use wireless ABAX system devices with INTEGRA and VERSA control panels.

The ACU-120 module supports up to 48 wireless devices and, additionally, provides a number of tools streamlining installation and consecutive system maintenance.



SPECIFICATION

Support:	INTEGRA VERSA
Number of supported wireless devices:	max. 48 - Satel ABAX
Frequency band:	868 MHz ... 868.6 MHz
Range:	≤ 500 m - in open area
Main features:	• Bidirectional encrypted radio communication • Support for up to 8 wireless keypads ABAX • Support for up to 48 wireless devices ABAX • Support for up to 248 keyfobs ABAX • Connecting to the INTEGRA / VERSA panels via communication bus • RS-232 management port • Firmware update without need to unmount the device • Tamper signaling
Power supply:	12 V DC
Current consumption:	max. 75 mA
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %
Weight:	0.2 kg
Dimensions:	126 x 158 x 32 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:



Mounting side view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

