

Code: TT-W19-SILVER/COMBO

## DIRECTIONAL ANTENNA **TT-W19-SILVER/COMBO** TELMOR

Net: **24.05 EUR** Gross: **24.05 EUR**

The TT-W19-SILVER/COMBO directional antenna is designed to receive DVB-T / DVB-T2 digital terrestrial television. The antenna also receives signals from the VHF band, which is intended for the diffusion of a digital radio signal DAB+. Antenna has built-in a multiplexer which summing the VHF and UHF bands to one output.

Some antenna parts are made from aluminum, steel construction elements are galvanized.




### SPECIFICATION


|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Receiving channels:   | <ul style="list-style-type: none"><li>• 6 ... 12,</li><li>• 21 ... 48</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Gain :                | <ul style="list-style-type: none"><li>• 3 ... 6 dBi - VHF,</li><li>• 9 ... 13 dBi - UHF</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Frequency range:      | <ul style="list-style-type: none"><li>• 174 ... 230 MHz</li><li>• 470 ... 694 MHz</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Polarization:         | Horizontal / Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Impedance:            | 75 $\Omega$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Main features:        | <ul style="list-style-type: none"><li>• Number of elements : 19</li><li>• DVB-T/T2, DAB+ compliance,</li><li>• Built-in LTE / 5G filter</li><li>• Operating in horizontal or vertical polarization in the VHF band</li><li>• The antenna has a built-in VHF/UHF multiplexer</li><li>• Built-in matching transformer</li><li>• Possibility of connecting with one antenna cable or separate cables for each band</li><li>• Weatherproof</li><li>• Connector : F socket</li><li>• The design of the antenna enables simple, quick assembly without the use of tools</li></ul> |
| Weight:               | 1.27 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Dimensions:           | 921 x 740 x 530 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Manufacturer / Brand: | TELMOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Guarantee:            | 2 years                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

### PRESENTATION


Mast mounting diameter:



Connectors:



Connector cover:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|