

Code: CA-10-KLED

KEYPAD FOR ALARM CONTROL PANEL **CA-10-KLED** SATEL

Net: **38.69 EUR** Gross: **38.69 EUR**

The keypad basing on microprocessor technology is designed to alarm control panel support. Without display. The status indication is showed by LEDs and acoustic signals.



SPECIFICATION

Power supply:	12 V DC
Support:	CA-10-P
Operation temp:	-10 °C ... +55 °C
Current consumption:	35 mA
Main features:	• 15 LEDs • Keypad backlight buttons • Alarms: keypad hold-down PANIC, FIRE and AUX • Acoustic signaling: alarm, trouble, enter delay time, exit delay time, inputs violation (gong), keypad operations confirmation • Alarms and errors memory reading • Microswitch as tamper contact • 2 inputs • NO, NC, EOL, 2EOL/NO, EOL/NC configurations support • 21 reaction types • detector fault detection • sensor masking detection
Dimensions:	145 x 78 x 27 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION




Front view:




Rear view:



Internal view (after open the enclosure):



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm

Gross Weight: 0 kg
