

Code: PULSON-LCD/T-WH

## SENSORIC KEYPAD FOR ALARM CONTROL PANEL **PULSON-LCD/T-WH**

Net: **55.59 EUR** Gross: **55.59 EUR**

The PULSON-LCD/T-WH sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the PulsON Alarm control units. With the icon LCD display showing the messages as icons, even advanced functionalities of the alarm control unit are simple and convenient.



### SPECIFICATION

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:                   | PulsON Alarm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Main features:             | <ul style="list-style-type: none"><li>• Large, easy to read LCD graphic display with backlight</li><li>• Touch and backlit keyboard buttons</li><li>• White button illumination</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• 6 programmable function buttons to control the system</li><li>• Zone state signaling - LED diodes</li><li>• Buzzer for acoustic signaling of some system events</li><li>• Microswitch as tamper contact</li><li>• Additional 2 detection circuits</li><li>• DIP SWITCH for configuration and addressing</li><li>• Simple and quick device installation</li></ul> |
| Compliance with standards: | EN 50131, Grade 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Color:                     | White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Power supply:              | 12 V DC - Bus connector                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Current consumption:       | max. 125 mA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Operation temp:            | -10 °C ... 55 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Weight:                    | 0.17 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Dimensions:                | 158 x 95 x 18 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Manufacturer / Brand:      | PulsON Alarm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Guarantee:                 | 2 years                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

View after remove the cover:



Mounting side view:



Connectors:





In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|