

Code: INT-KLCDK-GR

## KEYPAD FOR ALARM CONTROL PANEL INT-KLCDK-GR SATEL

Net: 114.55 EUR Gross: 114.55 EUR

The INT-KLCDK-GR keypad is intended for daily operations and programming the INTEGRA series alarm control system. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.



### SPECIFICATION


|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:              | INTEGRA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Main features:        | <ul style="list-style-type: none"><li>• Green backlight of the keys</li><li>• 2 Inputs</li><li>• easy operation of the multi-zone systems</li><li>• LEDs indicating device operation state</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• Buzzer for acoustic signaling of some system events</li><li>• Panel communication loss indication</li><li>• RS-232 port allows to programming using the PC with GUARDX software installed</li><li>• Microswitch as tamper contact</li></ul> |
| Power supply:         | 12 V DC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Current consumption:  | max. 110 mA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Operation temp:       | -10 °C ... 55 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Weight:               | 0.32 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dimensions:           | 160 x 126 x 35 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Manufacturer / Brand: | SATEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Guarantee:            | 2 years                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

### PRESENTATION

Front panel:




View after remove the cover:



Mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|