

Code: DS-PDWL-E-WE

WIRELESS FLOOD DETECTOR AX PRO **DS-PDWL-E-WE** Hikvision

Net: **66.92 EUR** Gross: **66.92 EUR**

The DS-PDWL-E-WE detector is designed to detecting the presence of water using the supplied flood sensor in spaces where there is a risk of leakage.

The DS-PDWL-E-WE supports the other devices compatible with wireless HIKVISION AX PRO system.



SPECIFICATION

Support:	HIKVISION AX PRO
Detection:	Water
Alarm signaling:	• LED indicator : Color - blue, • Signal to control panel
Frequency range:	868 MHz - Tri-X Wireless
Radio communication range (at open area):	max. 1200 m
Alarm inputs:	—
Power supply:	1 x battery CR2450 3 V (included)
Backup time:	~ 3 years
Current consumption:	max. 50 mA
Main features:	• detecting the presence of water in spaces where there is a risk of leakage • Digital detector • Signal indicator • Bidirectional communication • AES-128 data encryption • Frequency hopping against jamming for reliable transmission • Tamper detection - opening the enclosure, removing from mounting surface • Remote management • "Index of Protection" : IP66
Environment class:	II
Color:	White
Operation temp:	-10 °C ... 55 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Weight:	0.05 kg
Dimensions:	• 62 x 62 x 15 mm • 3 m (cable length)
Manufacturer / Brand:	Hikvision
SAP Code:	314300106
Guarantee:	2 years

PRESENTATION

Front view:



Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

