

Code: ASP-215-R

WIRELESS INDOOR SIREN **ASP-215-R** ABAX/ABAX2 SATEL

Net: **59.53 EUR** Gross: **59.53 EUR**

Indoor, wireless controlled optical-acoustical siren designed for operation in the intruder alarm systems. Optical signaling source are LEDs, and acoustical signaling is generating by piezo transducer.

High-impact polycarbonate enclosure, featuring a very high mechanical strength and guarantees aesthetic appearance of siren even after many years of using. Construction enables high level of tamper protection (against opening and removing from mounting surface).

The ASP-215-R supports the other devices compatible with wireless ABAX/ABAX2 system.




SPECIFICATION

Support:	ABAX/ABAX2
Frequency band:	868 MHz ... 868.6 MHz
Radio communication range (at open area):	• ≤ 2000 m - ABAX2 @ ACU-220, • ≤ 1600 m - ABAX2 @ ACU-280, • ≤ 500 m - ABAX
Main features:	• Tamper protection (detection of removing from mounting surface and enclosure opening) • Remote configuration • Optical and acoustic signaling is triggered independently, by radio • Housing made of high impact polycarbonate, characterized by very high mechanical strength • The "ECO" option allows to extend the battery life up to four times (only in ABAX2)
Protection class (Grade):	2
Power supply:	Lithium battery CR123A (included)
Current consumption:	max. 40 mA
Backup time:	≤ 2 years
Operation temp:	-10 °C ... 55 °C
Weight:	0.16 kg
Dimensions:	87 x 133 x 37 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Internal view:



Mounting side view:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------