

Code: DELTABR-WE


WIRELESS OUTDOOR SIREN **DELTABR-WE** PYRONIX

Net: **157.50 EUR** Gross: **157.50 EUR**

The DELTABR-WE optical-acoustic outdoor siren performs the signaling function in two ways: red optical signaling (by means of blinking LEDs) and acoustical signaling (by means of modulated high-volume sound signal). An acoustic signal is generated by means of the piezoelectric transducer. Construction enables high level of tamper protection (against opening and removing from mounting surface).

The electronics board of the siren is made in SMD implementation and protected by impregnation against unfavorable effects of weather conditions, what ensures high reliability of the device. High-impact polycarbonate enclosure, featuring a very high mechanical strength and guarantees aesthetic appearance of siren even after many years of using.

NOTE! The siren requires the use of a dedicated cover in the selected color (available separately).




SPECIFICATION


Support:	Wireless alarm systems PYRONIX Enforcer
Sound pressure level:	98 dB
Main features:	• Tamper protection (detection of removing from mounting surface and enclosure opening) • Bidirectional encrypted radio communication • Jamming detection • Radio communication range (at open area) : 1.6 km • Frequency bandwidth of the PYRONIX Enforcer system : 868 MHz
Power supply:	—
Internal backup battery:	2 x Lithium battery 3 V / 5 A
Operation temp:	-25 °C ... 60 °C
Weight:	0.77 kg
Dimensions:	282 x 291 x 46 mm
Manufacturer / Brand:	PYRONIX
SAP Code:	361300052
Manufacturer's code:	DELTABELL/R-WE
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Internal view:





Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

