

Code: JA-111A-BASE-RB

## OUTDOOR SIREN **JA-111A-BASE-RB** JABLOTRON

Net: **124.38 EUR** Gross: **124.38 EUR**

Outdoor siren with optical and acoustical signaling intended for use in intruder alarm systems. Construction enables high level of tamper protection (against opening and removing from mounting surface). The JA-111A-BASE-RB is addressable device and takes one input on the Bus in the alarm system.

NOTE! To the siren you should purchase the outer cover in the selected color.




### SPECIFICATION

|                            |                                                                                                                                                                              |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:                   | JABLOTRON 100                                                                                                                                                                |
| Sound pressure level:      | 110 dB                                                                                                                                                                       |
| Power supply:              | 9 V ... 15 V DC - Control panel BUS                                                                                                                                          |
| Current consumption:       | 5 mA - Standby, max. 50 mA                                                                                                                                                   |
| Internal backup battery:   | 4.8 V / 1.8 Ah (included)                                                                                                                                                    |
| Main features:             | <ul style="list-style-type: none"><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• Battery lifetime ~ 3 years</li></ul> |
| Compliance with standards: | EN 50131-1, EN 50131-4, EN 55022, EN 60950-1                                                                                                                                 |
| Operation temp:            | -25 °C ... 60 °C                                                                                                                                                             |
| Weight:                    | 0.6 kg                                                                                                                                                                       |
| Dimensions:                | 193 x 292 x 51 mm                                                                                                                                                            |
| Manufacturer / Brand:      | JABLOTRON                                                                                                                                                                    |
| Guarantee:                 | 2 years                                                                                                                                                                      |

### PRESENTATION

Internal view:



Mounting side view:



#### PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|