

Code: DT8016AF4

DUAL TECHNOLOGY DETECTOR MICROWAVE + PIR **DT8016AF4**

HONEYWELL

Net: **77.55 EUR** Gross: **77.55 EUR**

Digital dual technology detector equipped with PIR and microwave detection.



SPECIFICATION

Application:	Indoor
Sensor type:	Passive Infra Red (PIR) and microwave (MW)
Recommended installation height:	2.1 ... 2.7 m
Range:	max. 16 x 22 m
Detection angle:	75 °
Sensitivity adjustment:	Smooth adjustment of MW sensitivity sensor using a potentiometer
Alarm output:	NC
Tamper output:	✓
LED indication:	LEDs indicating device operation state
Microwave frequency band:	10.525 GHz
Pet immunity:	—
Antimask feature:	✓
Alarm time:	3 s
Maximal outputs load:	30 mA / 25 V DC
Digital temperature compensation:	—
Protection class (Grade):	EN 50131-2-4, Grade 3
Environmental class EN 50130-5:	II

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power supply:	9.0 ... 15 V DC / 14 mA (max)
Operation temp:	-10 °C ... 55 °C
Color:	White
Main features:	• Tamper detection - opening the enclosure, removing from mounting surface • Integrated EOL resistors - configuration using DIP switches • Creep zone control • Mirror optics
Weight:	0.14 kg
Dimensions:	119 x 68 x 47 mm
Manufacturer / Brand:	Honeywell
Guarantee:	2 years



PRESENTATION



Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:




Bottom view:



Mounting side view:



Detector range:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60