

Code: 12V/2A/5.5

## POWER SUPPLY ADAPTER 12V/2A/5.5

Net: 4.50 EUR Gross: 5.54 EUR

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.

Please pay attention for proper cooling conditions of the power adaptor during work!



### SPECIFICATION

Model identifier:	12V/2A/5.5
Input voltage:	100 - 240 V AC
AC input frequency:	50 / 60 Hz
Output voltage:	12.0 V DC
Output current:	2.0 A
Output power:	24.0 W
Average efficiency during work:	86.2 %
Efficiency at low load (10%):	66.8 %
No-load power consumption:	< 0.10 W
Adapter type:	Switching
Output voltage adjustment:	—
Protections:	Overload
Number of outputs:	1 pcs
Power connectors type:	<ul style="list-style-type: none"><li>• 230 V CEE 7/16</li><li>• 12 V - 2.1/5.5 mm Straight plug</li></ul>
Housing type:	Desktop
Weight:	0.172 kg
Dimensions:	91 x 53 x 31 mm
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Bottom view:



Adapter's connector:



2.1/5.5mm plug polarization:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60