

Code: AWT-682

AC POWER SUPPLY ADAPTER **AWT-682** PULSAR

Net: **27.42 EUR** Gross: **27.42 EUR**



The AWT-682 power supply unit is intended for devices requiring AC: 18V, 20V. The power of receivers connected to the power supply terminals may not exceed its rated power.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current. Please pay attention for proper cooling conditions of the power adaptor during work!

SPECIFICATION


Adapter type:	Transforming
Power voltage:	230 V AC
Frequency range:	50 Hz
Output voltage:	• 18 V AC, • 20 V AC
Maximal load:	• 3.3 A @ 18 V AC, • 3 A @ 20 V AC
Environment class:	II
"Index of Protection":	IP43
Output power:	60 VA
Application:	• to alarm systems powering • to automatic systems • to low-voltage light installation powering
Output:	2 pcs
Dimensions:	124 x 75 x 65 mm
Weight:	1.29 kg
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Adapter connectors (after remove the cover):



Top view:



Bottom view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------