

Code: DRC-24V10W-1AZ

## SWITCHING ADAPTER **DRC-24V10W-1AZ**

Net: **13.24 EUR** Gross: **16.29 EUR**



Switching adapter installed on the TS35/7.5 or 15 DIN rail, resistant to high operation temperatures (up to 70°C).

### SPECIFICATION

Adapter type:	Switching
Power voltage:	90 ... 264 V AC
Output voltage:	24 V DC
Output voltage adjustment:	—
Maximal load:	0.42 A
Output power:	10 W
Number of outputs:	1 pcs
Efficiency:	> 80 %
Housing type:	DIN
Vibration resistance:	✓
Protections:	<ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overload</li><li>• Overvoltage</li></ul>
Operation temp. / Relative humidity:	-25 °C ... 71 °C / 5 ... 95 %
Weight:	0.06 kg
Dimensions:	18 x 91 x 56 mm
Guarantee:	<b>5 years</b>

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Top view:



Adapter connectors:



Rear panel (DIN rail installation):



Dimensions:

