

Code: DRP-024V060W-1BN

## SWITCHING ADAPTER **DRP-024V060W-1BN** Delta Electronics

Net: **51.65 EUR** Gross: **51.65 EUR**

Switching adapter installed on the TS35/7.5 or 15 DIN rail, resistant to high operation temperatures (up to 70°C).



### SPECIFICATION

|                                      |                                                                                                                     |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Adapter type:                        | Switching                                                                                                           |
| Power voltage:                       | 86 ... 264 V AC                                                                                                     |
| Output voltage:                      | 24 V DC                                                                                                             |
| Output voltage adjustment:           | 24 ... 28 V                                                                                                         |
| Voltage tolerance:                   | ± 2 %                                                                                                               |
| Maximal load:                        | 2.5 A                                                                                                               |
| Output power:                        | 60 W                                                                                                                |
| Number of outputs:                   | 1 pcs                                                                                                               |
| Efficiency:                          | 86 %                                                                                                                |
| Housing type:                        | DIN                                                                                                                 |
| MTBF (Mean Time Between Faults):     | 1000000 hours                                                                                                       |
| Vibration resistance:                | IEC60068-2-6, 10 ... 150 Hz max. 3 G for 60 minutes                                                                 |
| Protections:                         | <ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overvoltage</li><li>• Overload protection</li></ul> |
| Operation temp. / Relative humidity: | -20 °C ... 75 °C / < 95 %                                                                                           |
| Weight:                              | 0.37 kg                                                                                                             |
| Dimensions:                          | 32 x 121 x 125 mm                                                                                                   |
| Manufacturer / Brand:                | Delta Electronics                                                                                                   |
| Guarantee:                           | <b>5 years</b>                                                                                                      |

### PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front panel:




Rear panel (DIN rail installation):



Side view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



All cable terminals are separable, it allows to easy and quick connect or disconnect the power:



Dimensions:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

