

Code: DG-1-CO

CARBON MONOXIDE (CO) DETECTOR **DG-1-CO** SATEL

Net: **49.43 EUR** Gross: **49.43 EUR**

The DG-1-CO microprocessor-based digital gas detectors are characterized by reliability and low current consumption. A digital temperature compensation feature allows to operate within a wide temperature range. Gas concentration above the threshold level triggers visual and audible alarm signals. The detectors are intended to be used as part of a security system. Device should be mounted at a height of about 1.5 m above the floor.



SPECIFICATION

Detection:	Carbon Monoxide (CO)
Alarm signaling:	• Buzzer • Blinking LED • Signal to control panel
Gas concentration to trigger alarm:	• 50 ppm for 75 minutes • 100 ppm for 25 minutes • 300 ppm for 1 minute
Maximum permissible load:	16 V DC / 40 mA
Power supply:	9 ... 20 mA / 12 V DC
Operation temp:	-30 °C ... 55 °C
Weight:	0.050 kg
Dimensions:	Ø 97 x 36 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

View after remove the cover:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

