

Code: DH-DB10

WIRELESS DOORBELL **DH-DB10** Wi-Fi / IP DAHUA

Net: **144.17 EUR** Gross: **144.17 EUR**



The DH-DB10 Wi-Fi doorbell except of bell function enables preview from built-in camera and bi-directional voice communication from mobile device level with the Easy4ip application installed. When the bell button is pressed, the application displays a notification on the phone's screen.

The doorbell also has a motion detection function with the ability to local save short videos on the Micro SD card.

In addition to using the connection to the Wi-Fi network, it is possible to connect a physical electromagnetic bell module.

Attention! Access to the device's functions is possible only through the **imou** application available on mobile devices with Android, iOS systems. The device does not have the ability to control the opening of the gate.

SPECIFICATION

Sensor:	1/2.9 " - 2 Mpx
Resolution:	max. 1920 x 1080 px - 1080p
Camera view angle:	140 °
IR illuminator:	✓
LED illuminator:	—
Wireless transmission range:	The range limited only by the availability of the Wi-Fi network
Wi-Fi standard:	IEEE 802.11b / IEEE 802.11g
Network interface:	Wi-Fi
Mobile phones support:	Android: Free application IMOU iOS (iPhone): Free application IMOU
Video format:	H.264
Supported audio formats:	G.711
Main features:	• ICR - Movable InfraRed filter, • Micro SD memory cards up to 64GB support (possible local recording), • Motion Detection - 5 zones, • Microphone built-in, • Speaker built-in, • Bidirectional communication, • Full support via network : WiFi, • Possibility to work in cloud - you don't need to redirect the ports, • The possibility of connecting an electromagnetic bell, • Backup time ≤ 5 months (Standby mode)
Mount:	Surface-mounted

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power supply:	Li-Ion battery - Charging via micro USB port
Power consumption:	≤ 1.5 W
Housing:	Plastic
Color:	Silver / Black
"Index of Protection":	IP65
Operation temp:	-10 °C ... 55 °C
Weight:	0.252 kg
Dimensions:	148 x 50 x 33 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front panel:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



View after remove the cover:



In the kit:



OUR OPINIONS



- Very easy installation.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg